



A Series Linear

The A Series LED Linear Zone rated luminaire is a compact and rugged solution, engineered for adverse environments. Suiting a variety of applications, the A Series range combines flexibility and performance.

Ex d IIB T6 Gb;
Ex tb IIIC T80° C Db IP66
IECEX Certificate NO.: IECEX CQM 12.0034X

Built for use in:

- Petroleum industry
- Petrochemical industry
- Power generation industry
- Power transmission industry
- Drilling platform
- Oil tanks
- Workover platform
- Production platform
- Field tank
- Pumping station
- Transformer station
- Warehouse

ZONE 1

ZONE 21

IP 66

5

YEAR
WARRANTY




50,000 HOURS
RATED AVERAGE
DESIGN LIFE*

ta55

Features:

- OSRAM LED source offering high efficacy and lumen output
- Explosion proof aluminium alloy enclosure offering high anti- impact performance
- Installation loop has been designed with anti-off set screw to ensure site safety
- Terminal compartment has been isolated from the LED source compartment to increase site safety



A Series Linear

Accessories




Bracket

KAF-CBRKT



Loop

KAF-LOOP



Guard


KAF-GUARD




Pipe
Clamp

KAF-PC


Installation Options



Ceiling Mount





Pendant Mount



Pipe Mount

Photometric Distribution



Medium Beam