



AKA MINI

Adjustable LED Downlights Range

AKA blends a mixture of powerful performance with minimalist form critical for harmony within the installed display area. The combination of the “smooth and easy” rotational control is coupled with a constant “clutch” mechanism working in harmony to constantly maintain the optimal tilted position.

AKA MINI

Adjustable LED Downlights Range



Features

- Minimalist profile
- Multidirectional 355° rotation 55° tilt
- Flexibility in design and application
- Constant “clutch” tilt mechanism – remains fixed and droop free but easily adjusted
- Heavy duty mounting springs
- 2 fixed driver outputs
- Dimmable – Dali, 1-10v
- High performance optics reflectors with soft edge illumination & 3 beam choices, 20° 40° & 60°
- Accessories for additional light control
- Low glare
- 3000k & 4000k with CRI ≥ 90

Applications

- Designed for retail, food preparation and facade

Specifications

| | Single |
|--------------------|-----------------|
| Colour temp | 3000K and 4000k |
| Lumen output | See chart |
| CRI | >90 |
| Macadams step | 3 SDCM |
| Beam distribution | Symmetric |
| Default beam angle | 20°, 40°, 60° |
| Lumen maintenance | L70 50,000hrs |
| Control | Remote |
| Dimensions | Ø108 x H:82mm |
| Cutout | Ø100mm |
| Min recessed depth | 112mm |
| Power factor | 0.9 |
| Electrical rating | Class III |

Option

| | |
|-----------|------------|
| AK108RN20 | Narrow 20° |
| AK108RM40 | Medium 40° |
| AK108RW60 | Wide 60° |

AKA MINI

Adjustable LED Downlights Range

Technical Requirements

| | | |
|---------------------|--------------------|---------|
| 10/15W | Required Component | |
| | Driver | 15W |
| | DAT20F01 | Non-Dim |
| | DAT20D01 | DALI |
| | DAD20V035001 | 1-10V |
| | | 350mA* |
| * = Factory Default | | |

| Body selection | Description | Wattage | Lumens Initial | Lumens Exit | mA Setting | Finishes |
|----------------|----------------------------------|---------|----------------|-------------|------------|--|
| AK108331 | AKA MINI 15W 3000K NO REF WHITE | 15W | 1231 | 932 | 350mA | Matte White Matte Black Matte Silver |
| AK108431 | AKA MINI 15W 4000K NO REF WHITE | 15W | 1351 | 996 | 350mA | |
| AK108332 | AKA MINI 15W 3000K NO REF BLACK | 15W | 1231 | 932 | 350mA | |
| AK108432 | AKA MINI 15W 4000K NO REF BLACK | 15W | 1351 | 996 | 350mA | |
| AK108333 | AKA MINI 15W 3000K NO REF SILVER | 15W | 1231 | 932 | 350mA | |
| AK108433 | AKA MINI 15W 4000K NO REF SILVER | 15W | 1351 | 996 | 350mA | |

