

A3 MAXI HID FLOODLIGHT



The A3 Maxi HID Floodlight is a high wattage Floodlight with Asymmetric distribution suitable for Sports Floodlighting

Single hand self locking lamp chamber, rear access lamp chamber

240V and 415V control gear options available

Narrow beam and wide beam optics, asymmetric light distribution up to 66°

Instant hot re-strike options

Breather to protect against condensation

Lamps and control gear sold separately

Maximum upcast range up to 85° with adjustment in 5° steps

Automatic lamp isolation switch when opening rear housing (double ended lamps only)

Product Specification




IP65 IP Rating	IK08 IK Rating	240V Voltage	Grey (Light) Luminaire Colour	Powdercoated Finish
HID (Metal Halide) Lamp Type	Double Ended Lamp Style	0.15 Windage	Asymmetric Beam Distribution	-5 to 40 Operating Temperature

Item Code	Description	Tilt	Mass (kg)	Lamp Power (W)
5NA76901WS03	A3 MAXI 2000W DE WIDE T10	60	22.6KG	2000W
5NA76901WB03	A3 MAXI 2000W MH DE NARROW T10	65	22.1KG	2000W
5NA76901VB02	A3 MAXI 1000W MH IR DE NARROW	65	22.1KG	1000W
5NA76901WS02	A3 MAXI 2000W MH IR DE WIDE	60	22.1KG	2000W
5NA76901VS02	AA3 MAXI 1000W MH IR DE WIDE	55	22.1KG	1000W
5NA76901WB02	A3 MAXI 2000W MH IR DE NARROW	65	22.1KG	2000W

Item Code	Beam Angle
5NA76901WS03	135°
5NA76901WB03	90°
5NA76901VB02	90°
5NA76901WS02	135°
5NA76901VS02	135°
5NA76901WB02	90°

A3 MAXI HID FLOODLIGHT

LINE DRAWINGS



1x M20 screw
or
2x M12 screws

